



Elevate Your Kitchen With

SPEAKMAN[®]
FAUCETS


SPEAKMAN®

PERFORMANCE FLAWLESSLY ENGINEERED

Way back in 1869, brothers Allen and Joseph Speakman opened up a modest plumbing workshop in downtown Wilmington, Delaware. With a pioneering spirit and an unwavering dedication to craft, the brothers would create the world's first adjustable shower head, as well as earn over 100 patents for design and innovation.

A lot has changed since 1869, but our passion to innovate has never wavered. Over the years, our team has remained small by design to focus on what we do best. Our techniques have been inherited from past generations. From the design desk to the work bench, each and every item we create continues to be proudly engineered in Glen Mills, PA.

Speakman commercial and hospitality plumbing products are warranted to be free of defects in material and workmanship for 5 years from date of installation. ("Warranty Period"). Speakman warrants to its purchasers only ("Buyer") that goods are sold free from defects in materials and workmanship and conform to Speakman's specifications at the time of manufacturing, provided the goods are properly installed and maintained.



Speakman kitchen faucets make a sleek statement with clean and simple lines. The performance and maneuverability make it easy to deliver water around the kitchen sink. Each faucet is uniquely designed and engineered to intricate standards.



NEO KITCHEN FAUCET SERIES

Crafted to maximize modern style in the kitchen, the Neo Kitchen Faucets deliver incredible Hands-Free and Pull Down functionality with a decorator's eye for design.



SBS-1043

Neo Sensor Spring Kitchen Faucet



SBS-1042

Neo Sensor Pull Down Kitchen Faucet



SB-1043

Neo Spring Kitchen Faucet



SB-1042

Neo Pull Down Kitchen Faucet



CHELSEA KITCHEN FAUCET SERIES

A blend of modern and traditional lines, the Chelsea Pull Down Kitchen Faucets deliver style versatility and modern convenience for today's work and living spaces. The curved neck and handle make a sophisticated design statement.



SBS-2142

Chelsea Sensor Pull Down Kitchen Faucet



SB-2142

Chelsea Pull Down Kitchen Faucet



SB-2141

Chelsea Single Handle Pull Down Kitchen Faucet



PROPER KITCHEN FAUCET SERIES

Give your farmhouse kitchen a show-stopping centerpiece with the Speakman Proper High Rise Kitchen Faucet. With a vintage bridge design inspired by the rustic farms dotting the English countryside, the style works perfectly with oversized fireclay and apron-front sinks.



SB-3242

Proper High Rise Wall Mount Kitchen Faucet



SB-3241

Proper High Rise Kitchen Faucet



COMMANDER KITCHEN FAUCET SERIES

Speakman single lever kitchen faucets are the simple durable solution for kitchen applications. All Speakman single lever kitchen faucets have a lustrous polished chrome plated brass finish.



S-3762-E

Commander Single Lever Kitchen Faucet



SENSOR SPRING KITCHEN FAUCETS



Speakman® NEO SENSOR SPRING

- 1.8 gpm (3.7 lpm)
- Discrete sensor design features one of the smallest -- and most reliable -- solenoid sensors available
- Advanced sensor technology cycles off after 4 minutes (240 seconds)
- Use the handle anytime for standard operation or to adjust water temperature
- Three-function spray wand includes boost button
- Convenient single hole drop-in installation in decks up to 2-13/16 in. thick
- Cover plate sold separately, SB-DECK
- 5 Year Limited Warranty

	25.4"H x 4.4"L x 2"W	ADA	Low Lead	CEC	NSF61	
SBS-1043	PC	Yes	Yes	Yes	Yes	No
SBS-1043-SS	SS	Yes	Yes	Yes	Yes	No
SBS-1043-MB	MB	Yes	Yes	Yes	Yes	No
SBS-1043-BRB	BRB	Yes	Yes	Yes	Yes	No



Speakman® NEO SENSOR PULL-DOWN

- 1.8 gpm (3.7 lpm)
- Discrete sensor design features one of the smallest -- and most reliable -- solenoid sensors available
- Advanced sensor technology cycles off after 4 minutes (240 seconds)
- Use the handle anytime for standard operation or to adjust water temperature
- Two-function spray adds versatility
- Easy Mount Nut simplifies installation
- Cover plate sold separately, SB-DECK
- 5 Year Limited Warranty

	15.8"H x 4.5"L x 10.7"W	ADA	Low Lead	CEC	NSF61	
SBS-1042	PC	Yes	Yes	Yes	Yes	No
SBS-1042-SS	SS	Yes	Yes	Yes	Yes	No
SBS-1042-MB	MB	Yes	Yes	Yes	Yes	No
SBS-1042-BRB	BRB	Yes	Yes	Yes	Yes	No




Speakman® CHELSEA SENSOR PULL-DOWN


- 1.8 gpm (3.7 lpm)
- Discrete sensor design features one of the smallest -- and most reliable -- solenoid sensors available
- Advanced sensor technology cycles off after 4 minutes (240 seconds)
- Use the handle anytime for standard operation or to adjust water temp.
- Two-function spray adds versatility to cleaning tasks
- Convenient single hole drop-in installation in decks up to 2-13/16 in. thick
- Cover plate sold separately, SB-DECK
- 5 Year Limited Warranty

	15.3"H x 4.2"L x 2.2"W	ADA	Low Lead	CEC	NSF61	
SBS-2142	PC	Yes	Yes	Yes	Yes	No
SBS-2142-SS	SS	Yes	Yes	Yes	Yes	No
SBS-2142-MB	MB	Yes	Yes	Yes	Yes	No


SENSOR KITCHEN FAUCET OPERATION




Leave the handle pulled to the side to operate in touch-free mode. Push handle in to deactivate sensor and use in manual mode.



Wave your hand 3 inches in front of the sensor to activate or deactivate the faucet.



Adjust temperature by handle position, upright for cold or pull down for hot water.



The Sensor uses time of flight technology to determine the distance of objects in its field of view. A red light on the sensor will show for 15 seconds before operation.

The Solenoid Valve is controlled by the sensor. The valve stays closed until it senses hand movement within the field of the sensor. The solenoid will remain open for 240 seconds or once it senses hand movement pass by the sensor for shut off.

Our sensor faucets can work as both a touchless and manual faucet, using the solenoid valve. To adjust to manual operation simply rotate the switch on the solenoid box to manual bypass.



SPRING KITCHEN FAUCETS



Speakman®

NEO SPRING

- 1.8 gpm (3.7 lpm)
- Three-function spray wand enhances functionality and cleaning power
- Aerated stream for everyday tasks
- Spray pattern for wide rinsing
- Boost spray button increases flow rate for filling large pots
- Durable brass construction is built to last, even in hard water situations
- Convenient single hole drop-in installation up to 2-13/16 in. thick
- 5 Year Limited Warranty

	21.2"H x 10.3"L x 4.2"W	ADA	Low Lead	CEC	NSF61	
SB-1043	 PC	Yes	Yes	Yes	Yes	Yes
SB-1043-SS	 SS	Yes	Yes	Yes	Yes	Yes
SB-1043-MB	 MB	Yes	Yes	Yes	Yes	Yes
SB-1043-BRB	 BRB	Yes	Yes	Yes	Yes	Yes



Speakman®

NEO PULL-DOWN

- 1.8 gpm (3.7 lpm)
- Discrete sensor design features one of the smallest and most reliable solenoid sensors available and cycles off after 2 minutes
- Use handle anytime for standard operation or to adjust water temp.
- Two-function spray adds versatility to cleaning tasks
- Convenient single hole drop-in installation up to 2-13/16 in. thick
- Single hole installation- no cover plate included (SB-DECK)
- 5 Year Limited Warranty

	15.8"H x 4.5"L x 10.7"W	ADA	Low Lead	CEC	NSF61	
SB-1042	 PC	Yes	Yes	Yes	Yes	Yes
SB-1042-SS	 SS	Yes	Yes	Yes	Yes	Yes
SB-1042-MB	 MB	Yes	Yes	Yes	Yes	Yes
SB-1042-BRB	 BRB	Yes	Yes	Yes	Yes	Yes







PULL DOWN KITCHEN FAUCETS



Speakman®

CHELSEA PULL-DOWN

- 1.8 gpm (3.7 lpm)
- Two-function spray adds versatility to cleaning tasks
- Aerated stream for everyday tasks
- Spray pattern for wide rinsing
- Wand defaults back to an aerated spray when the faucet is shut off
- Durable brass construction built to last
- Convenient single hole drop-in installation up to 2-13/16 in. thick
- 5 Year Limited Warranty

	15.3"H x 10.7"L x 4.3"W	ADA	Low Lead	CEC	NSF61	
SB-2142	 PC	Yes	Yes	Yes	Yes	Yes
SB-2142-SS	 SS	Yes	Yes	Yes	Yes	Yes
SB-2142-MB	 MB	Yes	Yes	Yes	Yes	Yes



Speakman®

CHELSEA SINGLE HANDLE PULL-DOWN

- 1.8 gpm (3.7 lpm)
- Single post installation
- Side lever handle with 1/4 turn ceramic cartridge
- Mounts to decks up to 2-13/16 in. thick
- Durable brass construction
- Supply lines included
- 5 Year Limited Warranty

	16.4"H x 11.1"L x 2.3"W	ADA	Low Lead	CEC	NSF61	
SB-2141	 PC	Yes	Yes	Yes	Yes	Yes



HIGH RISE KITCHEN FAUCETS



Speakman® PROPER® HIGH RISE

- 1.75 GPM
- Long-reach spout works perfectly with oversized or single-bowl sinks
- Turn-of-the-century farmhouse style includes period-era details, like tailored finials, a goose-neck-inspired spout and ceramic H/C handle inlays
- Cross handles elevate the style and are easy to grip and turn for precision water temperature adjustment
- Four on-trend finish options give you the palette you need to make the look work in your space
- Crafted using the finest materials and finishing processes

	8" H x 10.7" L x 10.6" W	ADA	Low Lead	CEC	NSF61	
SB-3241	 PC	No	Yes	Yes	Yes	No
SB-3241-MB	 MB	No	Yes	Yes	Yes	No
SB-3241-PB	 PB	No	Yes	Yes	Yes	No
SB-3241-BRB	 BRB	No	Yes	Yes	Yes	No



Speakman® PROPER® HIGH RISE WALL

- 1.75 GPM
- Wall mount design works perfectly with oversized, single bowl or trough sinks
- Turn-of-the-century farmhouse style includes period-era details, like tailored finials, a goose-neck-inspired spout and ceramic H/C handle inlays
- Cross handles elevate the style and are easy to grip and turn for precision water temperature adjustment
- Four on-trend finish options give you the palette you need to make the look work in your space
- Crafted using the finest materials and finishing processes

	6.7" H x 11.8" L x 10.6" W	ADA	Low Lead	CEC	NSF61	
SB-3242	 PC	No	Yes	Yes	Yes	No
SB-3242-MB	 MB	No	Yes	Yes	Yes	No
SB-3242-PB	 PB	No	Yes	Yes	Yes	No
SB-3242-BRB	 BRB	No	Yes	Yes	Yes	No



SINGLE LEVER KITCHEN FAUCETS



Speakman® COMMANDER® SINGLE HANDLE

- 1.8 gpm (3.7 lpm)
- Low lead brass construction
- Lever Handle
- Spout extend 9 In. from center of mounting holes
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61

	6.9" H x 9" L x 8" W	ADA	Low Lead	CEC	NSF61	
S-3762-E	 PC	Yes	Yes	Yes	Yes	No







ACCESSORIES



Speakman® 10.5" DECK PLATE

- Sleek and minimalist design accentuates your kitchen decor
- Compatible with most single hole faucets center mount with a 1.25" diameter counter rough in

	0.3" H x 10.5" L x 2.7" W
SB-DECK	 PC
SB-DECK-SS	 SS
SB-DECK-MB	 MB
SB-DECK-BRB	 BRB



Speakman® STAINLESS STEEL FAUCET CONNECTOR

- Longer barb extra length and wider ridges allow deeper penetration into hose tube to insure that they will never pull apart
- 360 deg circular eight/sided crimping engineered to interlock the crimp
- Longer nickel plated brass sleeve
- Use in exposed applications only

	1/2" OD x 1/2" FIP x 12"	Low Lead
SPK-57672US	 SS	Yes





KITCHEN ACCESSORIES

Speakman®

KITCHEN DEEP DISH POSI-LOCK ASSEMBLY ROUND

- Durable brass and stainless construction
- Fits sinks with 4-1/2" outlet, low lead brass construction
- Anti-slip machined threads with solid brass lock and coupling nuts
- Connects to a standard 1-inch drain pipe
- Matches the finishes for the Speakman Neo Pull Down, Neo Spring and Chelsea Pull Down Kitchen Faucets

3.81" H x 4.5" L x 4.5" W

S-3471		PC
S-3471-SS		SS
S-3471-MB		MB
S-3471-BRB		BRB





Speakman is known for reliable innovations in safety, performance showering, and commercial grade fixtures. That same performance and quality is now available under the sink in our line of garbage disposals. The Speakman® 1/2 HP and 3/4 HP will tackle household needs for everyday food disposal. Built to last, the grinding system will finely grind particles to pass through the pipes.



Speakman®

1/2 OR 3/4 HP GARBAGE DISPOSAL

- Continuous feed technology backed by a powerful 1/2 HP 1700 RPM motor to handle kitchen waste with ease
- The compact, space saving design is just 7" in diameter and will increase space available for storage in cabinet
- Durable Permanent Magnet DC Motor for reliable performance
- Included and pre-installed power cord for fast installation; while easily removable for optional hardwiring
- Use with or without a dishwasher, easy tap-in access for dishwasher connection
- Backed by a 5 year warranty

		Volts	HZ	RPM	Amp.	Height	Weight
GD-5012 (1/2 HP)		120	60	1700	6.8	12-1/4"	14.85 lbs.
GD-5034 (3/4 HP)		120	60	1700	10.2	12-5/8"	17 lbs.





SPEAKMAN®

www.speakman.com

SPK-FAUCETSBRO-21

PPG Professional
PLUMBING GROUP